

# Material Safety Data Sheet (MSDS) Report

Applicant: Yixing Xinchi Energy Technology Co., Ltd.

No.82 Xinzhong Road, Xinzhuang Street, Yixing City, Jiangsu Province, 214200, China.

Sample Description:

Product name : Polymer Lithium-Ion Battery Pack

Battery model : D09 Nominal voltage : 24V

Nominal capacity : 6Ah/144Wh

Battery weight : -

Product dimension : L: 544mm, W: 116mm, T: 48mm

Data reviewed : Jan 19, 2024

Shanghai Ruifu Co., Ltd. did not test, certify, or approve the product described in this Material Safety Data Sheet (MSDS), and all information in this MSDS was provided by the applicant or was reproduced from publically available regulatory data sources. Shanghai Ruifu Co., Ltd. makes no representations or warranties regarding the completeness or accuracy of the information in this MSDS and disclaims all liability in connection with the use of this information or the product described in this MSDS. This MSDS was generated in accordance with requirements of OSHA Hazard Communication Standard 29 CFR 1910.1200 (OSHA HazCom 2012), for more details please refer to the following attached pages. This report shall not be reproduced except in full, without the written approval of Shanghai Ruifu Co., Ltd.

Approved By:

Pingo Zhang, Manager

On behalf of Shanghai Ruifu Co., Ltd.

MSDS Number: SDS201712211055

NO.888 Huanhu Xi'EcRoad/Fudong District, Shanghai, 201306, China

Tel: +86 21 5175 5899 E-mail: MSDS@vip.163.com Website: www.msds-china.com

Product name: Polymer Lithium-Ion Battery Pack MSDS Number: SDS201712211055

D09 Page: 1 of 10

Revision Date: 19/01/2024

Version: 8.0

## **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

**Product identifier** 

Product name : Polymer Lithium-Ion Battery Pack

Battery model : D09
Nominal voltage : 24V

Nominal capacity : 6Ah/144Wh

Battery weight : -

Physical dimension : L: 544mm, W: 116mm, T: 48mm

Recommended use of the chemical and restrictions on use

Identified use : Power supply for electronic device.

Details of the supplier of the safety data

sheet

Yixing Xinchi Energy Technology Co., Ltd. No.82 Xinzhong Road, Xinzhuang Street, Yixing City, Jiangsu Province, 214200,

China.

**Emergency telephone number** 

Tel: +86-510-87560105 or contact your local

emergency center. **Product Information**Tel: +86-510-87560105

E-mail: Chenpeng422@sina.com

#### **SECTION 2. HAZARDS IDENTIFICATION**

This product containing lithium-ion battery is an article pursuant to 29 CFR 1910.1200 and, as such, is not subject to the OSHA Hazard Communication Standard requirement(HCS2012). The information contained in this Material Safety Data Sheet contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.

As a solid, manufactured article, exposure to hazardous ingredients is not expected with normal use. The potential for exposure should not exist unless the battery leaks, is exposed to high temperatures or is mechanically, electrically or physically abused/damaged. If the battery is compromised and starts to leak, based upon the battery ingredients, the contents are classified as hazardous.

The following GHS hazardous classification are derived based on the internal ingredients of battery under extreme exposure scenarios, such as breakage, leakage or being abused.

Product name: Polymer Lithium-Ion Battery Pack MSDS Number: SDS201712211055

D09 Page: 2 of 10

Revision Date: 19/01/2024

Version: 8.0

#### **GHS-Classification**

Hazard classification : Flammable solids, Category 1

Flammable solid.

Substances and mixtures, which in contact with water, emit

flammable gases, Category 2

In contact with water releases flammable gases.

Skin sensitisation, Category 1
May cause an allergic skin reaction.
Carcinogenicity, Category 2
Suspected of causing cancer.

Specific target organ toxicity - repeated exposure, Category 2,

Inhalation

May cause damage to organs through prolonged or repeated

exposure if inhaled.

# **GHS-Labelling**

Symbol(s)







Signal word : Danger

Hazard statements : H228 Flammable solid.

H261 In contact with water releases flammable

gases.

H317 May cause an allergic skin reaction. H351 Suspected of causing cancer.

H373 May cause damage to organs through

prolonged or repeated exposure if inhaled.

Precautionary statements : **Prevention:** 

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have

been read and understood.

P210 Keep away from heat/sparks/open flames/hot

surfaces. No smoking.

P223 Do not allow contact with water.

P231 + P232 Handle under inert gas. Protect from moisture.
P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/

equipment.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/

spray.

P272 Contaminated work clothing should not be allowed

out of the workplace.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

Product name: Polymer Lithium-Ion Battery Pack MSDS Number: SDS201712211055

D09 Page: 3 of 10

Revision Date: 19/01/2024

Version: 8.0

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

P335 + P334 Brush off loose particles from skin. Immerse in

cool water/ wrap in wet bandages.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or

alcohol-resistant foam to extinguish.

Storage:

P402 + P404 Store in a dry place. Store in a closed container.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved

waste disposal plant.

#### Other hazards

No further available information.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Product form : Manufactured article

## **Hazardous components**

Component	CAS Number	Percent of Total Weight
Organic Carbonate	Not applicable	13-18%
Carbon(Graphite)	7782-42-5	12-15%
Copper Foil	7440-50-8	7-10%
Aluminum Foil	7429-90-5	5%
Nickel	7440-02-0	2-5%
Lithium Salts	Not applicable	1-5%
Lithium Cobalt Oxide	12190-79-3	2-3%

# **SECTION 4. FIRST AID MEASURES**

Under normal conditions of battery use, internal ingredients/components will not present a health hazard. The following information is provided for exposures that may occur during battery production or container breakage or under extreme heat conditions such as fire.

Burning and disassembly batteries may emit acrid smoke, irritating fumes, and toxic fumes of hazardous oxides of carbons, hydrofluoric acid and other toxic by-products.

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : Move to fresh air.

If breathed in, move person into fresh air.

Keep patient warm and at rest.

MSDS Number: SDS201712211055 Product name: Polymer Lithium-Ion Battery Pack

D09 Page: 4 of 10

Revision Date: 19/01/2024

Version: 8.0

If unconscious place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

: If on skin, rinse well with water. In case of skin contact

Wash contaminated clothing before re-use.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses. Protect unharmed eye.

: Get medical attention immediately. If swallowed

> Do NOT induce vomiting. Rinse mouth with water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

Notes to physician

: None known

: No hazards which require special first aid measures.

## **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Water spray/Foam/Carbon dioxide (CO2)/Dry chemical

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

: This battery product is considered safe under normal use

conditions, but it will burn in case of fire.

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: Toxic fumes

Acrid smoke/irritating fumes

Specific extinguishing

Further information

methods

: Product is compatible with standard fire-fighting agents.

: Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus

and full protective gear.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

: Normally not required.

In the event of fire and breakage, please ensure that:

Use personal protective equipment.

Product name: Polymer Lithium-Ion Battery Pack MSDS Number: SDS201712211055

D09 Page: 5 of 10

Revision Date: 19/01/2024

Version: 8.0

Ensure adequate ventilation.

Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

Methods and materials for containment and cleaning up

: If possible, carefully neutralize spilled electrolyte with soda

ash, sodium bicarbonate, lime, etc.

Other information : Comply with all applicable national and local regulations.

## SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Use only approved chargers and procedures.

Improperly charging a cell may cause the cell or battery to

flame or damage.

Do not drop battery, puncture, or attempt to open battery

case.

Avoid contact with the internal components of a battery. Do not subject product to open flame or fire and avoid situations that could cause arcing between terminals.

For personal protection see section 8.

Conditions for safe storage : Store batteries under roof in cool, dry, well-ventilated areas

separated from incompatible materials and from activities that

may create flames, spark, or heat.

Observe label precautions.

Charging : Shut-off power to chargers whenever not in use and before

detachment of any circuit connections. Charging space should be ventilated.

There is a possible risk of electric shock from charging equipment and from strings of series connected batteries,

whether or not being charged.

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Components with workplace control parameters

**Engineering measures** : Store sealed batteries at ambient temperature.

Never recharge batteries in an unventilated, enclosed space.

Do not subject product to open flame or fire.

Avoid conditions that could cause arcing between terminals.

Personal protective equipment

Respiratory protection : NONE REQUIRED FOR NORMAL HANDLING OF THE

FINISHED PRODUCT.

Hand protection : NONE REQUIRED FOR NORMAL HANDLING OF THE

PRODUCT.

Eye protection : NONE REQUIRED FOR NORMAL HANDLING OF THE

FINISHED PRODUCT.

Product name: Polymer Lithium-Ion Battery Pack MSDS Number: SDS201712211055

D09 Page: 6 of 10

Revision Date: 19/01/2024

Version: 8.0

Skin and body protection : NONE REQUIRED FOR NORMAL HANDLING OF THE

FINISHED PRODUCT.

Hygiene measures : Wash hands before breaks and at the end of workday.

When using do not eat or drink. When using do not smoke.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state : Manufactured article

Colour : No data available

Odour : Odorless

Odour Threshold : No data available

pH : Not applicable

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability : Non flammable

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : Not applicable

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Water solubility : Insoluble in water

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Thermal decomposition : No data available

Viscosity, dynamic : Not applicable

Product name: Polymer Lithium-Ion Battery Pack MSDS Number: SDS201712211055

D09 Page: 7 of 10

Revision Date: 19/01/2024

Version: 8.0

Viscosity, kinematic : No applicable

Oxidizing properties : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Non-reactive under normal conditions of use, storage and

transport.

Chemical stability : Stable under recommended storage conditions.

The sealed battery is considered stable.

Possibility of hazardous

reactions

: Product will not undergo hazardous polymerization.

Incompatible materials : None known.

Hazardous decomposition

products

: None under normal operating conditions.

Carbon dioxide and hydrogen fluoride gas may be generated

during combustion of battery.

## **SECTION 11. TOXICOLOGICAL INFORMATION**

# **Acute toxicity**

Not classified based on available information.

## Skin corrosion/irritation

Not classified based on available information.

# Serious eye damage/eye irritation

Not classified based on available information.

## Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

## Germ cell mutagenicity

Not classified based on available information.

# Carcinogenicity

Not classified based on available information.

# Reproductive toxicity

Not classified based on available information.

# STOT - single exposure

Not classified based on available information.

## STOT - repeated exposure

Not classified based on available information.

## **Aspiration toxicity**

Not classified based on available information.

# Further information Carcinogenicity:

IARC Cobalt in lithium cobalt oxide is considered as

a class 2B carcinogen by IARC.

Product name: Polymer Lithium-Ion Battery Pack MSDS Number: SDS201712211055

D09 Page: 8 of 10

Revision Date: 19/01/2024

Version: 8.0

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP None Known to be human carcinogen

#### **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

When properly used or disposed, the batteries do not present environmental hazards.

Do not let internal components enter marine environment.

Avoid release to waterways, wastewater or groundwater.

# Persistence and degradability

No data available

## Bioaccumulative potential

No data available

# Mobility in soil

No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

## Disposal methods

General advice : This battery should be recycled if possible.

The product should not be allowed to enter drains, water

courses or the soil.

This product must be disposed of in a safe manner. Send to a licensed waste management company.

Dispose of in accordance with all applicable national and local

regulations.

## **SECTION 14. TRANSPORT INFORMATION**

# International transport regulations

Lithium-ion batteries (limited to a maximum of 30% SoC) are subject to the following transport rules:

Method	Technical Guidelines	Packing Instruction and Special
Air	2023-2024 Edition of the ICAO Technical	Packing Instruction 965(PI965,
	Instructions for the Safe Transport of	section IA)
	Dangerous Goods by Air (Technical	IMP: RBI
	Instructions) and the 65th edition of the IATA	Limit per package:
	Dangerous Goods Regulations (DGR).	Pax A/C = Forbidden
		CAO = 35 kg
Sea	IMDG Code(2022 edition amendment 41-22)	Special Provision 188, 230, 310, 348,
		376, 377,384

Product name: Polymer Lithium-Ion Battery Pack MSDS Number: SDS201712211055

D09 Page: 9 of 10

Revision Date: 19/01/2024

Version: 8.0

Provisions for the international transportation (pursuant to ICAO-TI/IATA-DGR, IMDG Code):

UN-No.: UN 3480

Proper Shipping Name: Lithium Ion Batteries

## IMDG(2022 edition amendment 41-22)

ÙN Number	UN3480
UN Proper shipping name	Lithium ion batteries
Transport hazard class(es)	9
Packing Group	N/A

# IATA(65th Edition of the IATA Dangerous Goods Regulations (DGR))

(com _ minor or minor minor _ minor gorous coous regulations (_ or i/)		
UN Number	UN3480	
UN Proper shipping name	Lithium ion batteries	
Hazard Class	9	
Packing Group	N/A	

#### **ADR**

UN Number	UN3480
UN Proper shipping name	Lithium ion batteries
Hazard Class	9
Packing Group	N/A





Note: All lithium ion cells and batteries shipped by themselves (UN 3480) are forbidden for transport as cargo on passenger aircraft. All packages prepared in accordance with Packing Instruction 965, Section IA, IB and II, must bear a Cargo Aircraft Only label, in addition to existing marks and/or labels.

# **SECTION 15. REGULATORY INFORMATION**

SARA 302 : Not regulated.

SARA 311/312 Hazards : Not regulated.

SARA 313 Component(s) : Cobalt compounds are considered hazardous and are

subjected to reporting requirements of section 313 title III of the superfund amendments and reauthorization act of 1986

(SARA) and 40 CFR part 372.

California Prop 65 : This product does not contain any chemical known to the

State of California to cause cancer.

Product name: Polymer Lithium-Ion Battery Pack MSDS Number: SDS201712211055

D09 Page: 10 of 10

Revision Date: 19/01/2024

Version: 8.0

## **SECTION 16. OTHER INFORMATION**

#### **Further information**

Revision Date: 19/01/2024

#### Disclaimer:

This SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by us to be dependable and is accurate to the best of our knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. We assumed no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product.

\*\*\*End of Report\*\*\*